

# kindersplay™



## USER MANUAL

MODEL: KP0565

# Instructions

## Notice:

1. Please let your baby be familiar with the following safety rules, observe the playing ground and your baby's ability before riding
2. Limited weight:30KG ,Adapted age 1-6 .Do not let the baby tricycle overloading
3. keep the kids in view and teach them how to use before riding
4. keep away from the street and road
5. Keep away from the river, swimming pool.
6. Do not ride in the dark or be exposed to the bad weather to avoid accident
7. Only for one child to ride
8. Do not put any parts for body under the wheel includes hands, head and feet.

## Warning

9. Keep away from the street and motor road; keep your kids in view.
10. Do not put small parts of the tricycle into the mouth
11. No overloading carry capacity:30KG
12. Do put away the plastic bags to avoid suffocation when playing.
13. Do play this tricycle in right way.

## Maintenance

14. Cleanness: cleans the tricycle by floppy cloth instead of wet cloth or water to avoid degenerating.
15. Storage: Keep away from the damp and other high temperature area.
16. Please inspect screw periodically to ensure it is not loose.

# Installation

## All spare parts

1. Frame
- 2.seat
- 3.three wheel(front wheel with axle /pedal)
- 4.handlebar
- 5.small pedal
- 6.safety belt
- 7.push pole
- 8.all small spare parts (bell, lock catch, small pedal, axle of wheel, plastic spring for handlebar)
- 9.rear wheel mudguard
- 10.cushion for seat
- 11.canopy
- 12.bag



## Step1

### Front wheel assembly:

Please put front wheel connect with front fork –see left picture, next fixed screw by tool - see right picture



## Step 2

### Rear wheel assembly

Put axle across wheel middle hole, and get through frame hole, fixed by screws



### Step 3

**Block assembly** –Which is connect front fork and handle bar, fixed screw by tools



### Step 4

**Seat assembly** – put long screw get through the frame hole, and connect with seat, then to screw it by hand



## Step 5

**Backrest assembly** – fixed screw and connect backseat




## Step 6

**Rear mudguard assembly** – put it over the wheel, and inset the rear frame, to screw the nut



## Step 7

**Safety belt assembly** – please put safety belt connect with seat



## Step 8

**Push pole assembly** – put push pole to mid-frame ,and fixed the screw by tool



## Step 9

**Support pole & cushion seat assembly** - please put canopy support pole connect with seat hole, then put seat cushion above on seat



## Step 10

**Rear basket assembly** – please connect basket with push pole, fixed nuts  
Put storage bag on the upper on push pole



## Step 11

**Brake cable assembly** – one point connect rear frame, another connect head of frame

## Step 12

**Small pedal assembly** – please put the small foldable pedal under the frame, then fixed use long screw



Step 12

### Check

To check all the screw, and confirmed whether fixed or not.

